



SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 08/01/2012

1. PRODUCT IDENTIFICATION

1.1	Product Name: ELEMAN BLACK PEARL COLOR REFLECTING SHINE SERUM
1.2	Chemical Name: Dimethicone Solution
1.3	Synonyms: EL-BP12
1.4	Trade Names: Eleman Black Pearl Color Reflecting Shine Serum
1.5	Product Use: Hair Serum - Professional or Sundry Use Only
1.6	Distributor's Name: ILU Beauty
1.7	Distributor's Address: 2132 113TH Street, Grand Prairie, TX 75050 USA
1.8	Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887
1.9	Business Phone: +1 (877) 408-2234

2. HAZARD IDENTIFICATION

2.1	<p>Hazard Identification:</p> <p>This product is neither classified as a HAZARDOUS SUBSTANCE nor as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). In case of eye contact, rinse immediately with water. For external use only. Keep out of reach of children. Use only as directed.</p> <p>Hazard Statements (H): None.</p> <p>Precautionary Statements (P): P102 – Keep out of reach of children. P270 - Do not eat, drink, or smoke when using this product. P305+P351+P338 – IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.</p>						
2.2	Routes of Entry:	Inhalation:	NO	Absorption:	YES	Ingestion:	YES
2.3	<p>Effects of Exposure:</p> <p>INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.</p> <p>EYES: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.</p> <p>SKIN: The product may cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.</p> <p>INHALATION: None expected.</p>						
2.4	<p>Symptoms of Overexposure:</p> <p>Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product may cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.</p>						
2.5	<p>Acute Health Effects:</p> <p>Moderate irritation to eyes. Moderate irritation to skin near affected areas.</p>						
2.6	<p>Chronic Health Effects:</p> <p>No harmful or chronic health effects are expected to occur from a single accidental ingestion.</p>						
2.7	<p>Target Organs:</p> <p>Eyes</p>						

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used
NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.

3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³)								
					ACGIH ppm		NOHSC ppm			OSHA ppm			OTHER
					TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
CARYOCAR CORIACEUM SEED OIL	NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
DIMETHICONE	63148-62-9	JT6484500	213-915-7	NA	NA	NA	NF	NF	NF	NA	NA	NA	
CYCLOPENTASILOXANE	541-02-6	NA	208-764-9	NA	NA	NA	NF	NF	NF	NA	NA	NA	
CYCLOMETHICONE	69430-24-6	NA	209-136-7	NA	NA	NA	NF	NF	NF	NA	NA	NA	
C ₁₂₋₁₅ ALKYL BENZOATE	68411-27-8	Na	270-112-4	NA	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (PARFUM)	NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
BENZOPHENONE-3	131-57-7	NA	205-031-5	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PANTHENOL	16485-10-2	NA	240-540-6	NA	NA	NA	NF	NF	NF	NA	NA	NA	
MICA	12001-26-2	VV8760000	310-127-6	NA	(3)	NA	(3)	NF	NF	20	NA	1500	
TITANIUM DIOXIDE	13463-67-7	XR2275000	236-675-5	NA	NA	NA	NF	NF	NF	NA	NA	NA	
CI 20470 (ACID BLACK)	1064-48-8	NA	213-903-1	NA	NA	NA	NF	NF	NF	NA	NA	NA	
BHT	128-37-0	GO7875000	204-881-4	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	NA	NA	NA	NF	NF	NF	5	NA	NA	
DMDM HYDANTOIN	6440-58-0	NA	229-222-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	
IODOPROPYNYL BUTYLCARBAMATE	55406-53-6	NA	259-627-5	NA	NA	NA	NF	NF	NF	NA	NA	NA	

4. FIRST AID MEASURES

4.1	First Aid:	<p>INGESTION: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center +1 (800) 222-2222 or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.</p> <p>EYES: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek medical attention.</p> <p>SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned.</p> <p>INHALATION: Remove victim to fresh air at once.</p>											
4.2	Medical Conditions Aggravated by Exposure:	<p>None reported by the manufacturer.</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0000FF; color: white; text-align: center;">HEALTH</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #FF0000; color: white; text-align: center;">FLAMMABILITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="background-color: #FFA500; text-align: center;">PHYSICAL HAZARDS</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="text-align: center;">PROTECTIVE EQUIPMENT</td> <td style="text-align: center;">A</td> </tr> <tr> <td style="text-align: center;">EYES</td> <td></td> </tr> </table>	HEALTH	1	FLAMMABILITY	0	PHYSICAL HAZARDS	0	PROTECTIVE EQUIPMENT	A	EYES	
HEALTH	1												
FLAMMABILITY	0												
PHYSICAL HAZARDS	0												
PROTECTIVE EQUIPMENT	A												
EYES													

5. FIREFIGHTING MEASURES

5.1	Flashpoint & Method: > 70 °C (> 158 °F), estimated				
5.2	Autoignition Temperature: NA				
5.3	Flammability Limits:	Lower Explosive Limit (LEL):	NA	Upper Explosive Limit (UEL):	NA
5.4	Fire & Explosion Hazards: When involved in a fire, this product may decompose to form toxic gases (e.g., CO, CO₂, and NO_x), and silicon dioxide.				
5.5	Extinguishing Methods: Water Fog, Foam, Dry Chemical, CO₂				
5.6	Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.				

6. ACCIDENTAL RELEASE MEASURES

6.1	Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For <u>small spills</u> (e.g., < 1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Remove any contaminated clothing and wash thoroughly before reuse. For <u>spills ≥ 1 gallon</u>, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid absorbent material to separate containers for proper disposal. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
-----	---

7. HANDLING & STORAGE INFORMATION

7.1	Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product.
7.2	Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10.
7.3	Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Ventilation & Engineering Controls:	Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation) when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans).
8.2	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.
8.3	Eye Protection:	Avoid eye contact. Safety glasses with side shields should be used when handling large quantities (e.g., ≥ 1 gallon) of this product.
8.4	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves.
8.5	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations should be available.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	1.00 @ 20 °C (68 °F)
9.2	Boiling Point:	NA
9.3	Melting Point:	NA
9.4	Evaporation Rate:	NA
9.5	Vapor Pressure:	NA
9.6	Molecular Weight:	NA
9.7	Appearance & Color:	Silver, viscous liquid
9.8	Odor Threshold:	Characteristic odor
9.9	Solubility:	Insoluble
9.10	pH	NA
9.11	Viscosity:	NA
9.12	Other Information:	NA

10. STABILITY & REACTIVITY

10.1	Stability:	This product is stable.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO₂) and nitrogen (NO_x), Silicon Dioxide (SiO₂)
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks and high heat.
10.5	Incompatible Substances:	None known.



SAFETY DATA SHEET

Page 5 of 8
ILUB-003

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 08/01/2012

11. TOXICOLOGICAL INFORMATION

11.1	Toxicity Data: The product has not been tested for specific toxicity data.
11.2	Acute Toxicity: See section 2.5
11.3	Chronic Toxicity: See section 2.6
11.4	Suspected Carcinogen: No
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.
11.6	Irritancy of Product: See Section 2.3
11.7	Biological Exposure Indices: NE
11.8	Physician Recommendations: Treat symptomatically.

12. ECOLOGICAL INFORMATION

12.1	Environmental Stability: Specific data regarding the finished product is not available. Complete information regarding the product ingredients is not yet available.
12.2	Effects on Plants & Animals: Specific data regarding the finished product is not available. Complete information regarding the product ingredients is not yet available.
12.3	Effects on Aquatic Life: Specific data regarding the finished product is not available. Complete information regarding the product ingredients is not yet available.

13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal: Dispose of in accordance with federal, state and local regulations.
13.2	Special Considerations: NA



SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 08/01/2012

14. TRANSPORTATION INFORMATION

The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND): NOT REGULATED	
14.2	IATA (AIR): NOT REGULATED	
14.3	IMDG (OCN): NOT REGULATED	
14.4	TDGR (Canadian GND): NOT REGULATED	
14.5	ADR/RID (EU): NOT REGULATED	
14.6	SCT (Mexico): NOT REGULATED	
14.7	ADGR (AUS): NOT REGULATED	

15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements: NA															
15.2	SARA Threshold Planning Quantity: NA															
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.															
15.4	CERCLA Reportable Quantity (RQ) : NA															
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).															
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.															
15.7	State Regulatory Information: No components of this product are listed on the California Proposition 65 lists. The following ingredients in this product are found on the following state criteria lists: <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Florida Toxic Substances List:</td> <td>Mica, BHT</td> </tr> <tr> <td>Massachusetts Hazardous Substances List:</td> <td>Mica, Titanium Dioxide, BHT</td> </tr> <tr> <td>Minnesota Hazardous Substances List:</td> <td>Titanium Dioxide, BHT</td> </tr> <tr> <td>Pennsylvania Hazardous Substances List:</td> <td>Mica, titanium Dioxide, BHT</td> </tr> <tr> <td>New Jersey Right-to-Know List:</td> <td>Iodopropynyl Butylcarbamate</td> </tr> <tr> <td>Washington Permissible Exposures List:</td> <td>Mica, BHT</td> </tr> <tr> <td>Wisconsin Hazardous Substances List:</td> <td>Iodopropynyl Butylcarbamate</td> </tr> </table>	Florida Toxic Substances List:	Mica, BHT	Massachusetts Hazardous Substances List:	Mica, Titanium Dioxide, BHT	Minnesota Hazardous Substances List:	Titanium Dioxide, BHT	Pennsylvania Hazardous Substances List:	Mica, titanium Dioxide, BHT	New Jersey Right-to-Know List:	Iodopropynyl Butylcarbamate	Washington Permissible Exposures List:	Mica, BHT	Wisconsin Hazardous Substances List:	Iodopropynyl Butylcarbamate	
Florida Toxic Substances List:	Mica, BHT															
Massachusetts Hazardous Substances List:	Mica, Titanium Dioxide, BHT															
Minnesota Hazardous Substances List:	Titanium Dioxide, BHT															
Pennsylvania Hazardous Substances List:	Mica, titanium Dioxide, BHT															
New Jersey Right-to-Know List:	Iodopropynyl Butylcarbamate															
Washington Permissible Exposures List:	Mica, BHT															
Wisconsin Hazardous Substances List:	Iodopropynyl Butylcarbamate															
15.8	67/548/EEC (European Union) and Other Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. <u>Hazard Statements (H):</u> None. <u>Precautionary Statements (P):</u> P102 - Keep out of reach of children. P270 - Do not eat, drink, or smoke when using this product. P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.															

16. OTHER INFORMATION

16.1	Other Information:	For external use only. Use only as directed. Discontinue use immediately if irritation develops.
16.2	Terms & Definitions:	See last page of this MSDS.
16.3	Disclaimer:	<p>This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & ILU Beauty or its affiliates' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.</p>
16.4	Prepared for:	<div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p>ILU Beauty 2132 113th Street Grand Prairie, TX 75050 USA Tel: +1 (877) 408-2234 info@ilubeauty.com</p> </div> <div style="flex: 1; text-align: center;">  </div> </div>
16.5	Prepared by:	<div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p>ShipMate, Inc. P.O. Box 787 Sisters, OR 97759-0787 USA +1 (310) 370-3600 phone +1 (310) 370-5700 fax http://www.shipmate.com</p> </div> <div style="flex: 1; text-align: center;">  </div> </div>

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
-----	--

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

HEALTH
FLAMMABILITY
PHYSICAL HAZARDS
PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

A	
B	
C	
D	
E	
F	

G	
H	
I	
J	
K	
X	Consult your supervisor or SOPs for special handling directions.

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:	
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD ₀₁	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD ₀₁ , LD ₀₁ , & LD ₀₁ or TC, TC ₀₁ , LC ₀₁ , & LC ₀₁	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
T _m	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

A	B	C	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

C	E	F	N	O	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

GH501	GH502	GH503	GH504	GH505	GH506	GH507	GH508	GH509
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment